


CAPTURA



MAKING STORAGE SMART AND SECURE
使存储更智能、更安全

COMPACT RFID LOCK

紧凑型射频识别锁



CAPTURA is the ideal electronic lock solution for lockers, office furniture, hotel and commercial furnishings, as well as the education and healthcare sectors.

Regardless of cabinet type, CAPTURA is easy to install thanks to its symmetrical design and the locking pins which automatically compensate for installation tolerances.

The universal installation card permits operation of the lock throughout the entire supply chain – up until the moment that the client takes possession of the lock.

The advantages at a glance:

- RFID lock with integrated antenna
- Compact and concealed installation
- 13,56 MHz MIFARE® Classic, MIFARE® DESFire® EV1 / EV2
- Up to 250 transponders can be programmed per lock
- Automatic locking configurable
- Change of operating mode (assigned use or shared use)
- Configuration via transponder cards or with LEHMANN Management Software LMS
- Use of existing transponders possible*
- Installation card: universal tool to operate lock throughout the supply chain up until the client takes possession of the lock
- Acoustic signalling can be deactivated
- Battery type: 1x CR123A
- Assembly in metal with additional component
- Optional: Optical indicator by lightpoint
- Optional: ejector pin on the lock pushes the door open automatically

CAPTURA 是储物柜、办公室家具、酒店和商业家具，以及教育和医疗保健部门的理想电子锁解决方案。

无论是哪种类型的柜体，CAPTURA 都很容易安装，这得益于它的对称设计和自动补偿安装公差

通用的安装卡可以在整个供应链中操作锁并测试功能。

显著的优点：


- 带集成天线的RFID锁
- 紧凑隐蔽的安装方式
- 13,56兆赫MIFARE® Classic、MIFARE® DESFire® EV1/EV2
- 每个锁最多可编程250张射频识别卡
- 可自动锁定
- 可选择的操作模式（指定模式或共享模式）
- 通过射频识别卡或雷曼管理软件LMS进行配置
- 可使用现有射频识别卡*
- 安装卡可以在整个供应链中操作锁并测试功能。
- 声音信号可以被消除
- 电池类型：1x CR123A
- 通过附加组件，可使用于金属面板
- 可选项：通过传光管信息回馈的光学指示器
- 可选项：锁上的反弹器可自动推开门

* Third-party transponders must be checked in advance for compatibility and range. / 如需要使用第三方的射频识别卡，必须事先确认其兼容性和范围。




LEHMANN®

Dimensions
尺寸



Cover for assembly on metal
用于安装在金属面板的前盖




Transponder
射频识别卡




Installation situations in different materials / 不同材料的安装情况


Per back view and front view / 按后视图和前视图



Installation in metal suitable for material thicknesses 0,5 to 2,5mm
安装在金属面板上，适用厚度为0.5至2.5毫米




Installation in HPL suitable for material thicknesses 10 to 15mm
安装在HPL板材上，适用厚度为10至15毫米




Installation in wood-based materials suitable for material thicknesses 16 to 21mm
安装在木质面板上，适用厚度为16-21毫米

Note: Installation in glass on request / 备注：可按要求在玻璃上


Locking pins and lightpoints / 锁定销和传光管



Locking pin SD type A
锁定销SD类型A



Locking pin SD type B
锁定销SD类型B



Ejector pin A1 for locking pin SD type A
锁定销SD类型A，带反弹器A1



Lightpoint O10 for HPL 10 to 15mm
适用于10至15毫米HPL板材的传光管O10



Lightpoint O16 for wood 16 to 21mm
适用于16至21毫米木质板材的传光管O16

Order numbers on request / 按要求提供订单号

ELECTRONIC AND MECHANICAL LOCKING SOLUTIONS FOR: 电子机械锁解决方案:

Office furniture / 办公家具



Hotel and commercial furnishings / 酒店和商业家具



Healthcare and laboratory / 医疗单位和实验室



Shopfitting and interior finishing / 商店和室内装潢



Locker / 储物柜



Residential furniture / 民用家具



TRUST BASED ON EFFICIENCY

LEHMANN (a family owned business based in Minden / Westphalia) develops, manufactures and markets mechanical and electronic security solutions for the furniture industry and commercial sector. Today, around 340 employees worldwide ensure maximum customer satisfaction and delivery reliability.

信任始于高效

德国雷曼（是一家位于明登/威斯特伐利亚的家族企业）包含产品研发、生产及销售，致力于为家具行业提供最专业的机械电子安全方案。

今天，全球约340名员工确保最大程度的为客户提供可靠的服务。

上海莱曼锁业有限公司

地址：上海市闵行区申长路888号虹桥天地3号楼521室

邮编：200335

电话：+86 21 23516223

网址：<http://www.lehmann-international.com>

Shanghai LEHMANN Locks Co.,Ltd.

Room 521, 5/F, East Tower 3, Hongqiao THE HUB, 888 ShenChang Road, Shanghai, China • Post code: 200335

Phone: + 86 21 23516223 • Website: <http://www.lehmann-international.com>

(Mainland China)

Lehmann International Ltd.

72 Gloucester Road

6/F Luk Kwok Centre

Wan Chai, Hong Kong

Fon: +852 3127 5669

(Asia-Pacific)